

KRYNAC[®] XL 3025

Product Description

Crosslinked butadiene-acrylonitrile copolymer, cold polymerized, non staining stabilized

Supply Form

Bales

Raw Material Properties

| Property | Nominal Value | Unit | Test Method |
|---|---------------|------|---------------------|
| Mooney Viscosity ML (1+4) 100°C without pre-treatment | 70 ± 7 | MU | ISO 289/ASTM D 1646 |
| Acrylonitrile content | 29.5 ± 1.5 | wt % | ISO 24698-1 |
| Volatile matter | ≤ 0.5 | wt % | ISO 248/ASTM D 5668 |

Other Product Features

| Property | Typical Value | Unit | Test Method |
|-----------------------------------|---------------|------|---------------------|
| Total Ash | ≤ 1.0 | wt % | ISO 247/ASTM D 5667 |
| Solubility in methyl ethyl ketone | 25 ± 7 | wt % | ML 461 |

KRYNAC[®] XL 3025

| | |
|----------------|--|
| Packaging | 25 kg bales wrapped in dispersible PE film (Vicat point 85°C / ISO 306) |
| Shelf life | 24 months from date of production at temperatures not exceeding 35°C in dry conditions; exposure to light has to be avoided |
| Product Safety | Relevant safety data and references as well as the possibly necessary warning labels are to be found in the safety data sheet. |

These raw material properties are typical and, unless specifically indicated otherwise, are not to be considered as delivery specification.

KRYNAC[®] is a Registered Trademark of LANXESS Deutschland GmbH

This information and our technical advice - whether verbal, in writing or by way of trials - are given in good faith but without warranty, and this also applies where proprietary rights of third parties are involved. Our advice does not release you from the obligation to check its validity and to test our products as to their suitability for the intended processes and uses. The application, use and processing of our products and the products manufactured by you on the basis of our technical advice are beyond our control and, therefore, entirely your own responsibility. Our products are sold in accordance with the current version of our General Conditions of Sale and Delivery.

Issue number: LXS 05 / Date of issue: June 30, 2015 / Previous issue from October 27, 2010 / Information current as of date of issue. Please contact your ARLANXEO representative to determine if this publication has been revised.