

SAFETY DATA SHEET

accordance with Annex II of Regulation (EC) No 1907/2006 and its amendment(s)

Product: **EKALAND™ DPTT C**

Page: 1 / 8

SDS No.: 100016-100 (Version 7.1)

Date 07.01.2021 (Cancel and replace : 18.12.2020)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Identification of the mixture: EKALAND™ DPTT C

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture :

Sector of use :	Product category :
Manufacture of Masterbatches SU 10: Formulation	PC32: Polymer preparations and compounds
Formulation and (re)packing SU 10: Formulation	PC32: Polymer preparations and compounds
Manufacture of General Rubber Goods SU11: Manufacture of rubber products	PC32: Polymer preparations and compounds

1.3. Details of the supplier of the safety data sheet

Supplier MLPC International
209, Avenue Charles Despiau
F-40370 RION-DES-LANDES, FRANCE
Telephone: + 33 (0) 5 58 57 02 00
E-mail address: <http://www.mlpc-intl.com>
fds@mlpc-intl.com

E-mail address : Exposure scenario reachsubstance@mlpc-intl.com

1.4. Emergency telephone number

+1-703-741-5970 CHEMTREC international emergency phone number (ARKEMA CCN830055)

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008):

This substance is not classified as dangerous according to Regulation (EC) No 1272/2008.

2.2. Label elements

Label elements (REGULATION (EC) No 1272/2008):

EC Nr : 213-537-2

This substance is not classified as dangerous according to Regulation (EC) No 1272/2008.

Additional information: Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.3. Other hazards : None.

Other:

Results of PBT and vPvB assessment : Based on the available information, it is not possible to conclude on PBT and vPvB criteria according to REACH regulation, annex XIII.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Chemical nature of the mixture¹:

Mixture

Hazardous components (accordance with Annex II of Regulation (EC) No 1907/2006 and its amendment(s)) :

Product:
SDS No.: 100016-100 (Version 7.1)

EKALAND™ DPTT C

Page: 2 / 8
Date 07.01.2021 (Cancel and replace : 18.12.2020)

Chemical name ¹ & REACH Registration Number ²	EC-No.	CAS-No.	Concentration	Classification REGULATION (EC) No 1272/2008
Bis(piperidinothiocarbonyl) hexasulphide (01-2119974270-39)	213-537-2	971-15-3	98 - 99 %	
Distillates (petroleum), hydrotreated light paraffinic (01-2119487077-29) (N° ANNEX: 649-468-00-3)	265-158-7	64742-55-8	1 - 2 %	Asp. Tox. 1; H304 Nota L: DMSO <3%

¹: See chapter 14 for Proper Shipping Name

²: See the text of the regulation for applicable exceptions or provisions -

4. FIRST AID MEASURES

4.1. Description of necessary first-aid measures:

General advice:

Take off immediately all contaminated clothing.

Inhalation:

Move to fresh air. Oxygen or artificial respiration if needed. Consult a physician.

Skin contact:

Wash off immediately with soap and plenty of water.

Eye contact:

Wash well-open eyes immediately, abundantly and thoroughly with water. Consult an ophthalmologist immediately.

Ingestion:

If swallowed, do not induce vomiting - seek medical advice.

Protection of first-aiders:

In case of insufficient ventilation, wear suitable respiratory equipment.

4.2. Most important symptoms/effects, acute and delayed: No data available.

4.3. Indication of immediate medical attention and special treatment needed, if necessary: No data available.

5. FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media: Water spray, Foam, Dry powder

Unsuitable extinguishing media: All other extinguishants

5.2. Special hazards arising from the substance or mixture:

Thermal decomposition gives : Temperature exceeding 280 °C:
Sulphur oxides, Nitrogen oxides (NOx)

5.3. Advice for firefighters:

Specific methods:

Remove all sources of ignition. Suppress gases, fumes and/or dust with water spray jet.

Special protective actions for fire-fighters:

Wear self-contained breathing apparatus and protective suit.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures:

Avoid contact with skin and eyes and inhalation of dust.

6.2. Environmental precautions:

Do not let product enter drains. Do not contaminate surface water.

6.3. Methods and materials for containment and cleaning up:

Recovery:

Shovel or sweep up. Recover the product and place in a dry labelled container.

Elimination:

Destroy the product by incineration (in accordance with local and national regulations).

Product:
SDS No.: 100016-100 (Version 7.1)

EKALAND™ DPTT C

Page: 3 / 8
Date 07.01.2021 (Cancel and replace : 18.12.2020)

6.4. Reference to other sections: None.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling:

Technical measures/Precautions:

Storage and handling precautions applicable to products: Dust forming. Provide appropriate exhaust ventilation at machinery and at places where dust can be generated. Provide water supplies, ocular fountains and showers near the point of use.

Hygiene measures:

General industrial hygiene practice. Avoid contact with skin, eyes and clothing. Avoid breathing dust. Wash hands after handling. Remove contaminated clothing and protective equipment before entering eating areas.

7.2. Conditions for safe storage, including any incompatibilities:

Keep in a well-ventilated place. Keep in a dry place. Store protected from moisture.

Incompatible products:

Strong acids Oxidizing agents

Packaging material:

Recommended: Paper bags, Big bags.

7.3. Specific end use(s):

None.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters:

Exposure Limit Values (dust)

Source	Date	Value type	Value (ppm)	Value (mg/m3)	Remarks
ACGIH (US)	03 2014	TWA	–	3	Respirable particles.
ACGIH (US)	03 2014	TWA	–	10	Inhalable particles.

Exposure Limit Values

Distillates (petroleum), hydrotreated light paraffinic

Source	Date	Value type	Value (ppm)	Value (mg/m3)	Remarks
EU OELIII	01 2019	SKIN	–	–	Can be absorbed through the skin.
ACGIH (US)	02 2012		–	–	Exposure by all routes should be carefully controlled to levels as low as possible.
ACGIH (US)	02 2012		–	–	Included in the regulation but with no data values. See regulation for further details.
ACGIH (US)	02 2012	TWA	–	5	Inhalable fraction.

Derived No Effect Level (DNEL): BIS(PIPERIDINOTHIOCARBONYL) HEXASULPHIDE :

End Use	Inhalation	Ingestion	Skin contact
Workers	49 mg/m3 (LT, SE)		140 mg/kg (LT, SE)
Consumers	8,7 mg/m3 (LT, SE)	5 mg/kg (LT, SE)	50 mg/kg (LT, SE)

LE : Local effects, **SE :** Systemic effects, **LT :** Long term, **ST :** Short term

Predicted No Effect Concentration: BIS(PIPERIDINOTHIOCARBONYL) HEXASULPHIDE :

Compartment:	Value:
Soil	33,3 mg/kg

8.2. Exposure controls:

General protective measures: Ensure sufficient air exchange and/or exhaust in work areas

Personal protective equipment:

Respiratory protection: Effective dust mask
Hand protection: Impervious gloves
Eye/face protection: Tightly fitting safety goggles
Skin and body protection: At the workplace : Protective suit.

Environmental exposure controls: See chapter 6

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance:

Physical state (20°C):	solid
Form:	powder
Colour:	beige
Odour:	odourless
Olfactory threshold:	No data available.
pH:	Not relevant
Melting point/range :	115 - 130 °C (OECD Test Guideline 102)
Boiling point/boiling range:	No data available.
Flash point:	Not relevant
Evaporation rate:	No data available.
Flammability (solid, gas):	
Flammability:	Non flammable product (Standard A10)
Vapour pressure:	< 0,0000001 Pa , at 20 °C (calculated)
Vapour density:	No data available.
Density:	approx. 1,4 g/cm ³ , at 20 °C Molten form (Literature)
Bulk density:	approx. 0,532 kg/m ³ , at 20 °C
Water solubility:	10,48 µg/l at 20 °C (OECD Test Guideline 105)
Partition coefficient: n-octanol/water:	BIS(PIPERIDINOTHIOCARBONYL) HEXASULPHIDE : log Kow : 6,2 (OECD Test Guideline 117)
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity, dynamic:	Not applicable
Explosive properties:	
Explosivity:	Not relevant (due to its chemical structure)
Oxidizing properties:	Not relevant (due to its chemical structure)

9.2. Other data:

pKA:	None.
Molecular weight:	448,82 g/mol

10. STABILITY AND REACTIVITY

10.1. Reactivity: No data available.

10.2. Chemical stability:

Product stable in the absence of moisture

10.3. Possibility of hazardous reactions: No data available.

10.4. Conditions to avoid:

Store protected from moisture and heat. Protect from light. Keep away from direct sunlight.

10.5. Incompatible materials to avoid: No data available.

10.6. Hazardous decomposition products:

Thermal decomposition gives : Nitrogen oxides (NOx), Carbon dioxide (CO₂), Sulphur oxides, Nitrosamine

11. TOXICOLOGICAL INFORMATION

All available and relevant data on this product and/or the components quoted in section 3 and/or the analogue substances/metabolites have been taken into account for the hazard assessment.

11.1. Information on toxicological effects:

Acute toxicity:

Inhalation: According to its composition, can be considered as **Little or not harmful by inhalation**

BIS(PIPERIDINOTHIOCARBONYL) HEXASULPHIDE :

• In animals : No mortality/4 h/Rat: > 2,83 mg/l (Method: OECD Test Guideline 403) (Aerosol)

Ingestion: According to its composition, can be considered as **Slightly or not harmful by ingestion**

BIS(PIPERIDINOTHIOCARBONYL) HEXASULPHIDE :

• In animals : No mortality/Rat: > 2.000 mg/kg (Method: OECD Test Guideline 423)

Dermal: According to its composition, can be considered as **Slightly or not harmful in contact with skin**

BIS(PIPERIDINOTHIOCARBONYL) HEXASULPHIDE :

• In animals : No mortality/Rat: > 2.000 mg/kg (Method: OECD Test Guideline 402)

Local effects (Corrosion / Irritation / Serious eye damage):

Skin contact: According to its composition, can be considered as **Non irritating to skin**

BIS(PIPERIDINOTHIOCARBONYL) HEXASULPHIDE :

• In animals : No skin irritation (EPISKIN Human Skin Model Test)

Eye contact: According to its composition, can be considered as **Not irritating to the eyes.**

BIS(PIPERIDINOTHIOCARBONYL) HEXASULPHIDE :

• In animals : No eye irritation (OECD Test Guideline 405, Rabbit)

Respiratory or skin sensitisation:

Inhalation: No data available.

Skin contact: According to its composition, can be considered as **Not a skin sensitizer**

BIS(PIPERIDINOTHIOCARBONYL) HEXASULPHIDE :

• In animals : No skin allergy was observed. (Method: OECD Test Guideline 429 LLNA: Local Lymph Node Assay, Mouse)

CMR effects :

Mutagenicity: According to its composition, can be considered as **Overall not genotoxic**

In vitro

BIS(PIPERIDINOTHIOCARBONYL) HEXASULPHIDE :

Ames test: Inactive (Method: OECD Test Guideline 471)

In vitro gene mutations test on mammalian cells: Inactive (Method: OECD Test Guideline 476)

In vivo

BIS(PIPERIDINOTHIOCARBONYL) HEXASULPHIDE :

Micronucleus test in vivo rat: Inactive (Method: OECD Test Guideline 474)

Carcinogenicity: No data available.

Reproductive toxicity:

Fertility: Based on the available data, the substance is not suspected of having reprotoxic potential.

BIS(PIPERIDINOTHIOCARBONYL) HEXASULPHIDE :

• In animals :
No toxic effects for reproduction
NOAEL (Parental toxicity) : 1.000 mg/kg bw/day
NOAEL (Fertility) : 1.000 mg/kg bw/day
NOAEL (Developmental Toxicity) : 1000 mg/kg bw/day
(Method: OECD Test Guideline 421, Rat, By oral route)

Foetal development: Based on the available data, the substance is not suspected of having developmental toxicity potential.

BIS(PIPERIDINOTHIOCARBONYL) HEXASULPHIDE :

• In animals :
Embryo-foetal development: Absence of toxic effects for foetal development
NOAEL (Developmental Toxicity) : 1.000 mg/kg bw/day
NOAEL (Maternal Toxicity) : 1.000 mg/kg bw/day
(Method: OECD Test Guideline 414, Rat, By oral route)

Product:
SDS No.: 100016-100 (Version 7.1)

EKALAND™ DPTT C

Page: 6 / 8
Date 07.01.2021 (Cancel and replace : 18.12.2020)

Specific target organ toxicity :

Single exposure : No data available.

Repeated exposure: **The substance or mixture is not classified as specific target organ toxicant, repeated exposure.**

BIS(PIPERIDINOTHIOCARBONYL) HEXASULPHIDE :
• In animals :
By oral route: No specific toxic effects
NOAEL= 1.000 mg/kg (Rat)
(Method: OECD Test Guideline 407, 4 Weeks)
(Method: OECD Test Guideline 408, 13 Weeks)

Aspiration hazard:

Not applicable

12. ECOLOGICAL INFORMATION

Ecotoxicology Assessment: All available and relevant data on this product and/or the components quoted in section 3 and/or the analogue substances/metabolites have been taken into account for the hazard assessment.

12.1. Acute toxicity :

Fish: **From its composition, it must be considered as: Slightly harmful to fish**

BIS(PIPERIDINOTHIOCARBONYL) HEXASULPHIDE :
LC50, 96 h (Danio rerio (zebra fish)) (Method: OECD Test Guideline 236) No effect up to the limit of solubility

Aquatic plants: **From its composition, it must be considered as: Slightly harmful to algae**

BIS(PIPERIDINOTHIOCARBONYL) HEXASULPHIDE :
ErC50, 72 h (Pseudokirchneriella subcapitata) (Method: OECD Test Guideline 201) No effect up to the limit of solubility

Microorganisms:

BIS(PIPERIDINOTHIOCARBONYL) HEXASULPHIDE :
NOEC, 28 d (Activated sludge) : = 100 mg/l

Aquatic toxicity / Long term toxicity:

Fish:

BIS(PIPERIDINOTHIOCARBONYL) HEXASULPHIDE :
NOEC, 34 d (Danio rerio (zebra fish)) (Method: OECD Test Guideline 210) No effect up to the limit of solubility

Aquatic invertebrates:

BIS(PIPERIDINOTHIOCARBONYL) HEXASULPHIDE :
NOEC, 21 d (Daphnia magna (Water flea)) (Method: OECD Test Guideline 211) No effect up to the limit of solubility

Aquatic plants:

BIS(PIPERIDINOTHIOCARBONYL) HEXASULPHIDE :
NOEC, 72 h (Pseudokirchneriella subcapitata) (Method: OECD Test Guideline 201) No effect up to the limit of solubility

Non aquatic toxicity / Acute toxicity :

Toxicity to soil dwelling organisms:

BIS(PIPERIDINOTHIOCARBONYL) HEXASULPHIDE :
NOEC, 56 d (Eisenia fetida (earthworms)) : > 1.000 mg/kg (Soil dw) (Method: OECD Test Guideline 222, reproduction)
NOEC, 28 d (Microorganisms) : > 1.000 mg/kg (Soil dw) (Method: OECD Test Guideline 216)

Terrestrial plants:

BIS(PIPERIDINOTHIOCARBONYL) HEXASULPHIDE :
NOEC, Test duration: 28 d (Brassica napus (Rapeseed)) : 333 mg/kg (Method: OECD Test Guideline 208, Growth inhibition)

12.2. Persistence and degradability :

Product:
SDS No.: 100016-100 (Version 7.1)

EKALAND™ DPTT C

Date 07.01.2021 (Cancel and replace : 18.12.2020)

Biodegradation (In water): All the products and/or components quoted in section 3 and/or analogue substances/metabolites are not readily biodegradable.

BIS(PIPERIDINOTHIOCARBONYL) HEXASULPHIDE :
Not readily biodegradable.: 0 % after 28 d (Method: OECD Test Guideline 301F)

12.3. Bioaccumulative potential :

Bioaccumulation: Based on the available information, it is not possible to conclude on the bioaccumulation potential of this mixture.

BIS(PIPERIDINOTHIOCARBONYL) HEXASULPHIDE :
Partition coefficient: n-octanol/water: log Kow : 6,2 (Method: OECD Test Guideline 117)

12.4. Mobility in soil - Distribution among environmental compartments:

Vapor pressure: < 0,0000001 Pa, 20 °C, (Method: calculated)

Absorption / desorption:
BIS(PIPERIDINOTHIOCARBONYL) HEXASULPHIDE :
log Koc: 5,54 (Method: calculated)

12.5. Results of PBT and vPvB assessment :

Based on the available information, it is not possible to conclude on PBT and vPvB criteria according to REACH regulation, annex XIII.

12.6. Other adverse effects: None known.

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment:

Disposal of product: Destroy the product by incineration (in accordance with local and national regulations).

Disposal of packaging: Destroy packaging by incineration at an approved waste disposal site (in accordance with local and national regulations).

14. TRANSPORT INFORMATION

Not classified as dangerous in the meaning of transport regulations.

15. REGULATORY INFORMATION

Safety data sheets: accordance with Annex II of Regulation (EC) No 1907/2006 and its amendment(s)

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture:

Listed in:

EU. REACH, Annex XVII, Marketing and Use Restrictions (Regulation 1907/2006/EC): Distillates (petroleum), hydrotreated light paraffinic; Baseoil — unspecified [complex combination of hydrocarbons obtained by trea
EU. REACH, Annex XVII, Appendix 1, Entry 28 - Carcinogens: Category 1B (CLP Table 3 of Anx VI). (Reg. 1907/2006/EC): Distillates (petroleum), hydrotreated light paraffinic; Baseoil — unspecified [complex combination of hydrocarbons obtained by trea

15.2. Chemical safety assessment: None.

INVENTORIES:

EINECS:	Conforms to
TSCA:	Conforms to
DSL:	All components of this product are on the Canadian DSL
IECSC (CN):	Conforms to
ENCS (JP):	Conforms to
ISHL (JP):	Conforms to
KECI (KR):	Conforms to
PICCS (PH):	Conforms to
AICS:	Conforms to
NZIOC:	Conforms to

16. OTHER INFORMATION

Full text of H, EUH-phrases referred to under sections 2 and 3

H304 May be fatal if swallowed and enters airways.

Product:
SDS No.: 100016-100 (Version 7.1)

EKALAND™ DPTT C

Page: 8 / 8
Date 07.01.2021 (Cancel and replace : 18.12.2020)

Update:

Safety datasheet sections which have been updated:		Type:
Exposure scenario	one or more exposure scenario have been changed: see dates and versions	Additions
2	2. HAZARDS IDENTIFICATION	Revisions
3	3. COMPOSITION/INFORMATION ON INGREDIENTS	Revisions

Thesaurus:

NOAEL : No Observed Adverse Effect Level (NOAEL)
LOAEL : Lowest Observed Adverse Effect Level (LOAEL)
bw : Body weight
food : oral feed
dw : Dry weight
vPvB : very Persistent and very Bioaccumulative
PBT : Persistent, Bioaccumulative and Toxic

This information applies to the PRODUCT AS SUCH and conforming to specifications of ARKEMA. In case of formulations or mixtures, it is necessary to ascertain that a new danger will not appear. The information contained is based on our knowledge of the product, at the date of publishing and it is given quite sincerely. Users are advised of possible additional hazards when the product is used in applications for which it was not intended. This sheet shall only be used and reproduced for prevention and security purposes. The references to legislative, regulatory and codes of practice documents cannot be considered as exhaustive. It is the responsibility of the person receiving the product to refer to the totality of the official documents concerning the use, the possession and the handling of the product. It is also the responsibility of the handlers of the product to pass on to any subsequent persons who will come into contact with the product (usage, storage, cleaning of containers, other processes) the totality of the information contained within this safety data sheet and necessary for safety at work, the protection of health and the protection of environment.

NB: In this document the numerical separator of the thousands is the "." (point), the decimal separator is "," (comma).