

Product: **Mixland NewGen TMTD 80 G**

Page: 1 / 10

SDS No.: 100110-100 (Version 1.2)

Date 20.05.2016 (Cancel and replace : 14.08.2015)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Identification of the product

Identification of the mixture: Mixland NewGen TMTD 80 G

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Curing chemical

1.3. Details of the supplier of the safety data sheet

Supplier

MLPC International
209, Avenue Charles Despiau
F-40370 RION-DES-LANDES
FRANCE
Tel. + 33 (0) 5 58 57 02 00
<http://www.mlpc-intl.com>
fds@mlpc-intl.com

1.4. Emergency telephone number

+44 (0) 1235 239 670 (Carechem24 – MLPC 29003) **Europe**
001866 928 0789 (Carechem24 – MLPC 29003) **Americas**
+65 3158 1074 (Carechem24 – MLPC 29003) **Asia-pacific region** (excluding China)
+86 400 6267911 **China mainland**

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008):

Inhalation: Acute toxicity, 4, H332
Oral: Acute toxicity, 4, H302
Specific target organ toxicity - repeated exposure, 2, H373
Eye irritation, 2, H319
Skin irritation, 2, H315
Skin sensitisation, 1, H317
Acute aquatic toxicity, 1, H400
Chronic aquatic toxicity, 1, H410

Additional information:

For the full text of the H, EUH-phrases mentioned in this Section, see Section 16.

2.2. Label elements

Label elements (REGULATION (EC) No 1272/2008):

Hazardous components which must be listed on the label:

thiram (ISO); tetramethylthiuram disulphide

Hazard pictograms:



Signal word:

Warning

Hazard statements:

H332 : Harmful if inhaled.
 H302 : Harmful if swallowed.
 H373 : May cause damage to organs through prolonged or repeated exposure.
 H319 : Causes serious eye irritation.
 H315 : Causes skin irritation.
 H317 : May cause an allergic skin reaction.
 H410 : Very toxic to aquatic life with long lasting effects.

Precautionary statements:

Prevention:

P273 : Avoid release to the environment.
 P280 : Wear protective gloves/protective clothing/eye protection/face protection.

Response:

P302 + P352 : IF ON SKIN: Wash with plenty of soap and water.
 P333 + P313 : If skin irritation or rash occurs: Get medical advice/ attention.
 P314 : Get medical advice/ attention if you feel unwell.
 P305 + P351 + P338 : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage:

P403 + P233 : Store in a well-ventilated place. Keep container tightly closed.

Disposal:

P501 : Dispose of contents/ container to an approved waste disposal plant.

2.3. Other hazards : None.**Other:**

Results of PBT and vPvB assessment : Based on the available information, it is not possible to conclude on the hazard potential of this mixture.

3. COMPOSITION/INFORMATION ON INGREDIENTS**3.2. Mixtures****Chemical nature of the mixture¹:**

Mixture based on: Polymer and

Hazardous components (accordance with Annex II of Regulation (EC) No 1907/2006 and its amendment(s)) :

Chemical name ¹ & REACH Registration Number ²	EC-No.	CAS-No.	Concentration	Classification REGULATION (EC) No 1272/2008
Thiram (01-2119492301-45) (N° ANNEX: 006-005-00-4)	205-286-2	137-26-8	< 80 %	Acute Tox. 4 (Oral); H302 Acute Tox. 4 (Inhalation); H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 STOT RE 2; H373 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor Acute = 10 M-Factor Chronic = 10M-Factor Acute = 10 M-Factor Chronic = 10
Distillates (petroleum), hydrotreated light paraffinic (01-2119487077-29) (N° ANNEX: 649-468-00-3)	265-158-7	64742-55-8	11 - 13%	AH 1; H304 Nota L: DMSO <3%

¹: See chapter 14 for Proper Shipping Name

²: See the text of the regulation for applicable exceptions or provisions : The transition time according to REACH Regulation, Article 23, is still not expired.

For the full text of the H, EUH-phrases mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1. Description of necessary first-aid measures:

General advice:

Take off immediately all contaminated clothing.

Inhalation:

Move to fresh air. Consult a physician.

Skin contact:

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

Eye contact:

Wash well-open eyes immediately, abundantly and thoroughly with water. Consult an ophthalmologist.

Ingestion:

Call a physician immediately. Do not induce vomiting without medical advice. Rinse mouth.

Protection of first-aiders:

If entering a saturated atmosphere, wear a self contained breathing apparatus.

4.2. Most important symptoms/effects, acute and delayed: No data available.

4.3. Indication of immediate medical attention and special treatment needed, if necessary: No data available.

5. FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media: Water spray, Foam, Dry powder

Unsuitable extinguishing media: All other extinguishants

5.2. Special hazards arising from the substance or mixture:

Thermal decomposition gives : Nitrogen oxides (NOx), Sulphur oxides, Carbon oxides

5.3. Advice for firefighters:

Specific methods:

Suppress gases, fumes and/or dust with water spray jet. Remove all sources of ignition.

Special protective actions for fire-fighters:

Wear self-contained breathing apparatus and protective suit.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures:

Avoid contact with skin and eyes and inhalation of dust.

6.2. Environmental precautions:

Do not let product enter drains. Do not contaminate surface water.

6.3. Methods and materials for containment and cleaning up:

Recovery:

Shovel or sweep up. Recover the product and place in a dry labelled container.

Elimination:

Dispose of as hazardous waste in compliance with local and national regulations.

6.4. Reference to other sections: None.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling:

Technical measures/Precautions:

Provide appropriate exhaust ventilation at machinery. Provide showers, eye-baths. In the presence of an ignition source: Dust may form explosive mixture in air.

Storage and handling precautions applicable to products: Dust forming. Provide appropriate exhaust ventilation at machinery and at places where dust can be generated. Provide showers, eye-baths.

Safe handling advice:

In case of dust formation, wear a dust mask. Avoid static electricity build up with connection to earth.

Hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with the skin and the eyes. Wash hands after handling. Remove contaminated clothing and protective equipment before entering eating areas.

7.2. Conditions for safe storage, including any incompatibilities:

Store protected from moisture and heat. Protect from light. Keep away from direct sunlight.

Incompatible products:

Strong acids, Oxidizing agents

Packaging material:

Recommended: Cardboard lined with polyethylene liner, Paper bags lined with polyethylene

7.3. Specific end use(s): None.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters:

Exposure Limit Values

Distillates (petroleum), hydrotreated light paraffinic

Source	Date	Value type	Value (ppm)	Value (mg/m3)	Remarks
EU SCOELS	2014	TWA	-	5	8 hours Inhalable
EU SCOELS	2014		-	-	Inhalable Listed
ACGIH (US)	02 2012		-	-	Exposure by all routes should be carefully controlled to levels as low as possible.
ACGIH (US)	02 2012		-	-	Included in the regulation but with no data values. See regulation for further details.

Distillates (petroleum), hydrotreated light paraffinic

Source	Date	Value type	Value (ppm)	Value (mg/m3)	Remarks
EU SCOELS	2014	TWA	-	5	8 hours Inhalable
EU SCOELS	2014		-	-	Inhalable Listed
ACGIH (US)	02 2012		-	-	Exposure by all routes should be carefully controlled to levels as low as possible.
ACGIH (US)	02 2012		-	-	Included in the regulation but with no data values. See regulation for further details.
ACGIH (US)	02 2012	TWA	-	5	Inhalable fraction.

Predicted No Effect Concentration: No data available.

8.2. Exposure controls:

General protective measures: Ensure sufficient air exchange and/or exhaust in work areas

Personal protective equipment:

Respiratory protection: Effective dust mask
Hand protection: Impervious gloves
Eye/face protection: Tightly fitting safety goggles
Skin and body protection: Protective suit

Environmental exposure controls: See chapter 6

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance:

Physical state (20°C): solid
Form: granules, or, roll
Colour: White - yellow (Slightly)

Odour:	slight
Olfactory threshold:	No data available.
pH:	No data available.
Melting point :	145 - 150 °C
Boiling point/boiling range:	No data available.
Flash point:	150 °C
Evaporation rate:	No data available.
Flammability (solid, gas):	No data available.
Vapour pressure:	0,00002 Pa , at Active ingredient 25 °C (A4 Method (D. 92/69/ECC))
Vapour density:	No data available.
Density:	1,36 g/cm ³ , at 20 °C Pure substance (A3 method)
Water solubility:	No data available.
Partition coefficient: n-octanol/water:	log Kow : 4 , at 37,5 °C (OECD Test Guideline 117)
Partition coefficient: n-octanol/water:	THIRAM : log Kow : 1,8 - 2,1 (OECD Test Guideline 117)
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	No data available.
Explosive properties:	No data available.
Oxidizing properties:	No data available.

9.2. Other data:

pKA:	Active ingredient 8,19 at 25 °C
Molecular weight:	Active ingredient 240,4 g/mol Active ingredient

10. STABILITY AND REACTIVITY

10.1. **Reactivity:** No data available.

10.2. Chemical stability:

The product is stable under normal handling and storage conditions.

10.3. **Possibility of hazardous reactions:** No data available.

10.4. Conditions to avoid:

Store protected from moisture and heat. Protect from light. Keep away from direct sunlight.

10.5. Incompatible materials to avoid:

Strong acids and strong bases

10.6. Hazardous decomposition products:

Nitrogen oxides (NO_x), Carbon dioxide (CO₂), Sulphur oxides

11. TOXICOLOGICAL INFORMATION

All available data on this product and/or the components quoted in section 3 and/or the analogue substances/metabolites have been taken into account for the hazard assessment.

11.1. Information on toxicological effects:

Acute toxicity:

Inhalation:	According to its composition, can be considered as : Harmful if inhaled.
THIRAM :	
• In animals :	LC50/4 h/Rat: 4,42 mg/l (Aerosol)
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC :	
• In animals :	No mortality/4 h/Rat: 5,53 mg/l (Method: OECD Test Guideline 403) (Aerosol)
Ingestion:	According to its composition, can be considered as : Harmful if swallowed.

THIRAM :

- In animals : LD50/Rat: 2.600 mg/kg
- DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC :
- In animals : No mortality/Rat: 5.000 mg/kg (Method: OECD Test Guideline 401)

Dermal: According to its composition, can be considered as : Slightly or not harmful in contact with skin

THIRAM :

- In animals : No mortality/24 h/Rabbit: 2.000 mg/kg
- DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC :
- In animals : No mortality/Rabbit: 5.000 mg/kg (Method: OECD Test Guideline 402)

Local effects (Corrosion / Irritation / Serious eye damage):

Skin contact: According to its composition, can be considered as : Causes skin irritation.

THIRAM :

- In animals : Skin irritation (Rabbit)
- DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC :
- In animals : Slightly irritating to skin. (Rabbit, Exposure time: 24 h)

Eye contact: According to its composition, can be considered as : Causes serious eye irritation.

THIRAM :

- In animals : Eye irritation (Rabbit)
- DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC :
- In animals : No eye irritation (OECD Test Guideline 405, Rabbit)

Respiratory or skin sensitisation:

Inhalation: No data available.

Skin contact: According to its composition, can be considered as : Skin sensitizer

THIRAM :

- In animals : Sensitizing effects by skin contact. (Guinea pig)
- DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC :
- In animals : Not a skin sensitizer (Method : OECD Test Guideline 406 Guinea pig maximization test)

CMR effects :

Mutagenicity: Results from tests do not lead to considering the product as genotoxic

In vitro

THIRAM :

Ames test in vitro: Active
In vitro gene mutations test on mammalian cells: Inactive (Method: OECD Test Guideline 476)
In vitro test for chromosomal abnormalities on CHO cells: Inactive (Method: OECD Test Guideline 473)
DNA repair test on rats hepatocytes: Inactive

DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC :

Ames test in vitro: Inactive (Method: OECD Test Guideline 471)
In vitro test for chromosomal abnormalities on CHO cells: Inactive (Method: OECD Test Guideline 473)
In vitro gene mutations test on mammalian cells: Inactive (Method: OECD Test Guideline 476)

In vivo

THIRAM :

Micronucleus test in vivo mouse: Inactive (Method: OECD Test Guideline 474)
Tests for chromosome aberrations in vivo in germ cells: Inactive (Method: OECD Test Guideline 483)

DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC :

Micronucleus test in vivo mouse: Inactive (Method: OECD Test Guideline 474)

Carcinogenicity: Based on the available data, the substance is not suspected of having carcinogenic potential

THIRAM :

- In animals : Absence of carcinogenic effects in animal (rat, dog, 2 years, By diet)

DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC :

- In animals : Absence of carcinogenic effects (Method: OECD Test Guideline 451, mice, Chronic, dermal route)

Reproductive toxicity:**Fertility:**

Based on the available data, the substance is not suspected of having reprotoxic potential.

THIRAM :

- In animals : Two generations study.
NOAEL (Parental toxicity): 1,5 mg/kg bw/day
(Rat, By diet)
Absence of toxic effects on fertility
NOAEL (Parental toxicity): 9 mg/kg bw/day
NOAEL (Fertility): 9 mg/kg bw/day
NOAEL (Developmental Toxicity): 9 mg/kg bw/day
No teratogenic effects

DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC :

- In animals : Reproduction Test: No toxicity to reproduction
NOAEL (Parental toxicity): 1.000 mg/kg bw/day
NOAEL (Fertility): 1.000 mg/kg bw/day
(Method: OECD Test Guideline 421, Rat, By oral route)

Foetal development:

Based on the available data, the substance is not suspected of having developmental toxicity potential.

THIRAM :

- In animals : Absence of congenital malformations, Toxic effects for foetal development at toxic maternal doses
NOAEL (Developmental Toxicity): 15 mg/kg bw/day
(Rat, By oral route)
NOAEL (Maternal Toxicity): < 7,5 mg/kg bw/day
Absence of toxic effects for foetal development
NOAEL (Developmental Toxicity): 5 mg/kg bw/day
(Rabbit, By oral route)
NOAEL (Maternal Toxicity): 2,5 mg/kg bw/day

DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC :

- In animals : Absence of toxic effects for foetal development.
NOAEL (Developmental Toxicity): 2.000 mg/kg bw/day
NOAEL (Maternal Toxicity): < 125 mg/kg bw/day
(Method: OECD Test Guideline 414, Rat, dermal route)

Specific target organ toxicity :**Single exposure :****Inhalation:**

Risk of irritation of respiratory system

Repeated exposure:

The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Exposure routes : Ingestion
Target Organs : Liver

THIRAM :

- In animals : By diet: Target organs: Stomach, Haematological system, NOAEL= 3,5 mg/kg (Rat, 3 months)

By diet: Target organs: Liver, Haematological system, NOAEL= 2 mg/kg (Dog, 3 months)
dermal route: Local irritation
NOAEL= 300 mg/kg (Rabbit, 3 Weeks)

DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC :

- In animals : By inhalation: No effect is reported.
NOAEL= > 1 mg/l (Rat, 4 Weeks) (Aerosol)
dermal route: No effect is reported.
NOAEL= > 2.000 mg/kg (Method: OECD Test Guideline 411, Rat, 3 months)
By oral route: (Results obtained on a similar product).
Target organs: Reproductive organs, Stomach, Liver, Thymus, NOAEL= < 125 mg/kg (Method: OECD Test Guideline 408, Rat, 3 months)

Aspiration hazard: Not applicable

12. ECOLOGICAL INFORMATION

Ecotoxicology Assessment: All available data on this product and/or the components quoted in section 3 and/or the analogue substances/metabolites have been taken into account for the hazard assessment.

Acute aquatic toxicity : Very toxic to aquatic life.
Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

12.1. Toxicity :

Fish: **Very toxic to fish.**

THIRAM :
LC50, 96 h (Oncorhynchus mykiss) : 0,046 mg/l (Method: OECD Test Guideline 203)

DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC :
LL50, 96 h (Pimephales promelas (fathead minnow)) : > 100 mg/l (Method: OECD Test Guideline 203)

Aquatic invertebrates: **Very toxic to daphnia.**

THIRAM :
EC50, 48 h (Daphnies (Daphnia Magna)) : 0,38 mg/l (Method: OECD Test Guideline 202)

DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC :
LL50, 48 h (Daphnia magna (Water flea)) : > 10.000 mg/l (Method: OECD Test Guideline 202, pH: 7,7, Immobilization)

Aquatic plants: **Very toxic to algae.**

THIRAM :
EC50, 72 h (Selenastrum capricornutum (green algae)) : 0,065 mg/l (Method: OECD Test Guideline 201, Biomass)

DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC :
LL50, 72 h (Pseudokirchneriella subcapitata (microalgae)) : > 100 mg/l (Method: OECD Test Guideline 201, growth rate inhibition)

Microorganisms:

THIRAM :
EC50, 3 h : 3,11 mg/l (Method: OECD Test Guideline 209, Respiration inhibition of activated sludge)

DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC :
NOEC, 4 d (Photobacterium phosphoreum) : > 1,93 mg/l (Method: DIN 38412)

Aquatic toxicity / Long term toxicity:

Fish:

THIRAM :
NOEC, 33 d (Pimephales promelas) : 0,0046mg/L (Method: OECD Test Guideline 210)

Aquatic invertebrates:

THIRAM :
NOEC, 21 d (Daphnia magna (Water flea)) : 0,040mg/L (Method: OECD Test Guideline 211)

DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC :
NOEC, 21 d (Daphnia magna (Water flea)) : 10 mg/l (Method: OECD Test Guideline 211, Growth inhibition/Reproduction inhibition)

Aquatic plants:

DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC :
NOEC r, 72 h (Pseudokirchneriella subcapitata) : 100 mg/l (Method: OECD Test Guideline 201, growth rate inhibition)

Non aquatic toxicity / Acute toxicity :

Toxicity to soil dwelling organisms:

THIRAM :
LC50, 14 d (Eisenia fetida) : = 540 mg/kg (Soil dw) (Method: OECD Test Guideline 207)

Earth dwelling non-mammal species:

THIRAM :

12.2. Persistence and degradability :

In water: hydrolyses

Stability in water:

THIRAM :
Half-life: 68,5 d at 25 °C and pH 5
Half-life: 6,9 h at 25 °C and pH 9
Half-life: 3,5 d at 25 °C and pH 7

Biodegradation (In water): Not readily biodegradable.

THIRAM :
Not readily biodegradable.
40 % after 28 d (Method: OECD Test Guideline 301 D)

DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC :
Not readily biodegradable.
Not readily biodegradable.: 4 % after 28 d (Method: OECD Test Guideline 301 B)

Stability in soil:

THIRAM :

12.3. Bioaccumulative potential :

Bioaccumulation: Based on the available information, it is not possible to conclude on the hazard potential of this mixture.
Partition coefficient: n-octanol/water: log Kow : 4 , at 37,5 °C (Method: OECD Test Guideline 117)

THIRAM :
Partition coefficient: n-octanol/water: log Kow : 1,8 - 2,1 (Method: OECD Test Guideline 117)

12.4. Mobility in soil - Distribution among environmental compartments: No data available.

12.5. Results of PBT and vPvB assessment :

Based on the available information, it is not possible to conclude on the hazard potential of this mixture.

12.6. Other adverse effects: None known.

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment:

Disposal of product: Destroy the product by incineration (in accordance with local and national regulations).

Disposal of packaging: Destroy packaging by incineration at an approved waste disposal site (in accordance with local and national regulations).

14. TRANSPORT INFORMATION

Regulation	14.1. UN number	14.2. UN proper shipping name	14.3. Class*	Label	14.4. PG*	14.5. Environmental hazards	14.6. Special precautions for user
ADR	3077	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.(TETRAMETHYLTHIURAM DISULPHIDE)	9	9	III	yes	
ADN	3077	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (TETRAMETHYLTHIURAM DISULPHIDE)	9	9	III	yes	
RID	3077	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (TETRAMETHYLTHIURAM DISULPHIDE)	9	9	III	yes	
IATA Cargo	3077	Environmentally hazardous substance, solid, n.o.s. (tetramethylthiuram disulphide)	9	9MI	III	yes	
IATA Passenger	3077	Environmentally hazardous substance, solid, n.o.s. (tetramethylthiuram disulphide)	9	9MI	III	yes	
IMDG	3077	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (TETRAMETHYLTHIURAM DISULPHIDE)	9	9	III	Marine pollutant	EmS Number: F-A, S-F Mark: MP

*Description: 14.3. Transport hazard class(es)
14.4. Packing group

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not applicable

15. REGULATORY INFORMATION

Safety data sheets: accordance with Annex II of Regulation (EC) No 1907/2006 and its amendment(s)

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture:

15.2. Chemical safety assessment: None.

INVENTORIES:

DSL:	Conforms to
TSCA:	Conforms to
AICS:	Conforms to
DCS (JP):	Conforms to
EINECS:	Conforms to
ENCS (JP):	Conforms to
ENCS (JP):	Conforms to
ISHL (JP):	Conforms to
ISHL (JP):	Conforms to
ISHL (JP):	Conforms to
JEX (JP):	Conforms to
JP MON3:	Conforms to
KECI (KR):	Conforms to
KECI (KR):	Conforms to
NZIOC:	HSNO Approved
PICCS (PH):	Conforms to

16. OTHER INFORMATION

Full text of H, EUH-phrases referred to under sections 2 and 3

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Update:

Safety datasheet sections which have been updated:	Type:
3 REACH Registration Number	Additions

Thesaurus:

NOAEL : No Observed Adverse Effect Level (NOAEL)
LOAEL : Lowest Observed Adverse Effect Level (LOAEL)
bw : Body weight
food : oral feed
dw : Dry weight
vPvB : very Persistent and very Bioaccumulative
PBT : Persistent, Bioaccumulative and Toxic

This information applies to the PRODUCT AS SUCH and conforming to specifications of ARKEMA. In case of formulations or mixtures, it is necessary to ascertain that a new danger will not appear. The information contained is based on our knowledge of the product, at the date of publishing and it is given quite sincerely. Users are advised of possible additional hazards when the product is used in applications for which it was not intended. This sheet shall only be used and reproduced for prevention and security purposes. The references to legislative, regulatory and codes of practice documents cannot be considered as exhaustive. It is the responsibility of the person receiving the product to refer to the totality of the official documents concerning the use, the possession and the handling of the product. It is also the responsibility of the handlers of the product to pass on to any subsequent persons who will come into contact with the product (usage, storage, cleaning of containers, other processes) the totality of the information contained within this safety data sheet and necessary for safety at work, the protection of health and the protection of environment.

NB: In this document the numerical separator of the thousands is the "." (point), the decimal separator is "," (comma).