

SAFETY DATA SHEET

Section 1. Identification

Product identifier : KRYNAC XL 3025
Material Number : 05732271
Chemical family : acrylonitrile-butadiene
Identified uses : rubber
Supplier/Manufacturer : ARLANXEO USA LLC
111 RIDC Park West Drive
Pittsburgh, PA 15275-1112
United States (USA)

For information: US/Canada (800) LANXESS
International +1 412 809 1000

In case of emergency : Chemtrec (800) 424-9300
International (703) 527-3887
Lanxess Emergency Phone (800) 410-3063.

Section 2. Hazards identification

HAZCOM Standard Status : While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), the SDS contains valuable information critical to the safe handling and proper use of the product. The SDS should be retained and available for employees and other users of this product.

Physical state : Solid.
Color : Beige. [Light]
Classification of the substance or mixture : Not classified.
Signal word : No signal word.
Hazard statements : No known significant effects or critical hazards.
Hazard Not Otherwise Classified (HNOC) : None known.
Precautionary statements

Prevention : Not applicable.
Response : Not applicable.
Storage : Not applicable.
Disposal : Not applicable.
Supplemental label elements : Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials and food and drink.

Section 3. Composition/information on ingredients

Substance/mixture : Polymer
CAS number : -

The following potentially hazardous ingredient(s) are used to formulate this product. As supplied, the ingredient(s) are bound in a polymer matrix. Because they are bound in the matrix, they are not expected to create any unusual hazards when handled and processed. according to good manufacturing and industrial hygiene practices and the guidelines provided by this SDS.

Ingredient name	%	CAS number
alkylarylsulphonate	≤5	68411-30-3

Section 3. Composition/information on ingredients

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of first aid measures

- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Get medical attention if thermal burns occur.
- Ingestion** : Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Potential acute health effects

- Eye contact** : No known significant effects or critical hazards.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : Contact with hot material will cause thermal burns.
- Ingestion** : No known significant effects or critical hazards.

Over-exposure signs/symptoms

- Eye contact** : No specific data.
- Inhalation** : No specific data.
- Skin contact** : Reddening, itching, swelling, burning and possible permanent damage.
- Ingestion** : No specific data.

Potential chronic health effects

No known significant effects or critical hazards.

Notes to physician : Treat symptomatically. No specific treatment.

Protection of first-aiders : No special measures required.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

- Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire. In case of fire, use water spray (fog), foam or dry chemical.
- Unsuitable extinguishing media** : None known.

Specific hazards arising from the chemical : Toxic and irritating gases/fumes may be given off during burning or thermal decomposition.

Section 5. Fire-fighting measures

- Hazardous thermal decomposition products** : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide
nitrogen oxides
sulfur oxides
metal oxide/oxides
- Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

- Personal precautions, protective equipment and emergency procedures** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
- Environmental precautions** : No special measures required.
- Methods and materials for containment and cleaning up** : Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. If molten, allow material to cool and place into an appropriate marked container for disposal. Prevent entry into sewers, water courses, basements or confined areas.

Section 7. Handling and storage

Precautions for safe handling

- Protective measures** : Remove contaminated clothing and protective equipment before entering eating areas. Workers should wash hands and face before eating, drinking and smoking. Put on appropriate personal protection equipment. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.
- Conditions for safe storage** : Do not store above the following temperature: 35°C (95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Empty containers or liners may retain some product residues.

Section 8. Exposure controls/personal protection

Occupational exposure limits

Ingredient name	Exposure limits
alkylarylsulphonate	None

- Appropriate engineering controls** : Thermal processing operations should be ventilated to control gases and fumes given off during processing.

Personal protection

Section 8. Exposure controls/personal protection

Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Respiratory protection	: Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Skin protection	: Wear cloth work clothing including long pants and long-sleeved shirts. gloves , When handling hot material, wear heat-resistant protective gloves that are able to withstand the temperature of molten product. Suitable protective footwear.
Eye/face protection	: If contact with product is possible, wear safety glasses with side shields.
Medical Surveillance	: Not available.

Section 9. Physical and chemical properties

Physical state	: Solid. [rubber bales]
Color	: Beige. [Light]
Odor	: Aromatic. [Slight]
Odor threshold	: Not available.
pH	: Not available.
Boiling point	: Not available.
Melting point	: Not available.
Flash point	: Not available.
Evaporation rate	: Not available.
Explosion limits	: Not available.
Vapor pressure	: Not available.
Density	: 0.98 g/cm ³
Specific gravity (Relative density)	: Not available.
Solubility in water	: Insoluble in the following materials: cold water
Partition coefficient: n-octanol/water	: Not available.
Vapor density	: Not available.
Viscosity	: Not available.
Ignition temperature	: >200°C
Auto-ignition temperature	: Not available.
Decomposition temperature	: >200°C

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: Keep away from heat and direct sunlight.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on the likely routes of exposure : Dermal contact. Inhalation.

Potential acute health effects

Eye contact : No known significant effects or critical hazards.
Inhalation : No known significant effects or critical hazards.
Skin contact : Contact with hot material will cause thermal burns.
Ingestion : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : No specific data.
Inhalation : No specific data.
Skin contact : Reddening, itching, swelling, burning and possible permanent damage.
Ingestion : No specific data.

Potential chronic health effects

Short term exposure

Potential immediate effects : Not available.

Long term exposure

Potential delayed effects : Not available.
General : No known significant effects or critical hazards.
Carcinogenicity : No known significant effects or critical hazards.
Mutagenicity : No known significant effects or critical hazards.
Teratogenicity : No known significant effects or critical hazards.
Developmental effects : No known significant effects or critical hazards.
Fertility effects : No known significant effects or critical hazards.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure	Test
alkylarylsulphonate	LD50 Oral	Rat - Male, Female	1220 mg/kg	-	OECD 401 Acute Oral Toxicity
alkylarylsulphonate	LD50 Dermal	Rat - Male, Female	>5000 mg/kg Extrapolation according to Regulation (EC) No. 440/2008	-	402 Acute Dermal Toxicity
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	LC50 Inhalation Dusts and mists	Rat	>52 mg/l	4 hours	-

Irritation/Corrosion

Conclusion/Summary

Skin : alkylarylsulphonate:irritant (Rabbit) OECD 404 Acute Dermal Irritation/Corrosion
Eyes : alkylarylsulphonate:Causes serious eye damage. (Rabbit) OECD 405 Acute Eye Irritation/Corrosion

Sensitization

Section 11. Toxicological information

Product/ingredient name	Route of exposure	Species	Result
alkylarylsulphonate	skin	Guinea pig	Not sensitizing

Skin : Phenol, 2,2'-methylenebis[4-methyl-6-nonyl-:Not sensitizing
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:Non-sensitizer.

Chronic toxicity

Product/ingredient name	Result	Species	Dose	Exposure
alkylarylsulphonate	Sub-chronic NOAEL Oral	Rat - Male, Female	50 mg/kg	12 weeks; daily

Mutagenicity

Product/ingredient name	Test	Experiment	Result
alkylarylsulphonate	Ames test	Experiment: In vitro Subject: Bacteria Metabolic activation: +/-	Negative
	Cytogenetic assay	Experiment: In vivo Subject: Mammalian-Animal	Negative

Carcinogenicity

Product/ingredient name	Result	Species	Dose	Exposure
alkylarylsulphonate	Negative - Oral -	Rat	-	2 years; daily

Product/ingredient name	CAS #	IARC	NTP	OSHA
alkylarylsulphonate	68411-30-3	Not classified.	Not classified.	Not classified.

Teratogenicity

Product/ingredient name	Result	Species	Dose	Exposure
alkylarylsulphonate	Positive - Oral	Rat - Female	600 mg/kg NOAEL	15 days Gestation; daily

Specific target organ toxicity (single exposure)

Name	Category	Route of exposure	Target organs
alkylarylsulphonate	Category 3	Not applicable.	Respiratory tract irritation

Section 12. Ecological information

Toxicity

Product/ingredient name	Test	Result	Species	Exposure
alkylarylsulphonate	OECD 202 <i>Daphnia</i> sp. Acute Immobilization Test	Acute EC50 2.9 mg/l Fresh water	<i>Daphnia</i> - <i>Daphnia magna</i>	48 hours
	-	Acute IC50 10 to 100 mg/l	Algae - <i>Scenedesmus subspicatus</i>	72 hours
	EPA 850.1075, 1996	Acute LC50 1.67 mg/l Fresh water	Fish - <i>Lepomis macrochirus</i>	96 hours
	EPA 600/9-78-018	Chronic NOEC 3.1 mg/l	Algae - <i>Chlorella vulgaris</i>	15 days
	OECD 211 <i>Daphnia Magna</i> Reproduction Test	Chronic NOEC 1.18 mg/l Fresh water	<i>Daphnia</i> - <i>Daphnia magna</i>	21 days

Section 12. Ecological information

	OECD 204 Fish, Prolonged Toxicity Test: 14-Day Study	Chronic NOEC 1 mg/l Fresh water	Fish - Lepomis macrochirus	28 days
--	--	---------------------------------	----------------------------	---------

Conclusion/Summary : Not available.

Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
alkylarylsulphonate	OECD 301B Ready Biodegradability - CO ₂ Evolution Test	83 % - Readily - 28 days	34.3 mg/l	Activated sludge

Conclusion/Summary : Not available.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
alkylarylsulphonate	-	-	Readily

Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
alkylarylsulphonate	1.4	-	low

Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Waste disposal should be in accordance with existing federal state, provincial and or local environmental controls laws.

RCRA classification : If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

Section 14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	-	-	-	-		Not regulated.
IMDG Class	-	-	-	-		Not regulated.
IATA-DGR Class	-	-	-	-		Not regulated.

PG* : Packing group

RQ : 0 lbs

Section 15. Regulatory information

SARA 311/312 : None

SARA Title III Section 302 : None

Extremely Hazardous Substances

SARA Title III Section 313 : None

Toxic Chemicals

US EPA CERCLA : None

Hazardous Substances (40 CFR 302.4)

State regulations

The following chemicals are specifically listed by individual states; other product specific health and safety data in other sections on the SDS may also be applicable for state requirements. For details on your regulatory requirements you should contact the appropriate agency in your state.

<u>Ingredient name</u>	<u>CAS number</u>	<u>State Code</u>	<u>Concentration (%)</u>
Acrylonitrile-Butadiene Copolymer	9003-18-3		95 - 100%
Phenol, 2,2'-methylenebis[4-methyl-6-nonyl-	7786-17-6		1 - 3%
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	68411-30-3		1 - 3%
Sodium Naphthalene Sulfonate	9084-06-4		1 - 3%

Massachusetts Substances: MA - S

Massachusetts Extraordinary Hazardous Substances: MA - Extra HS

New Jersey Hazardous Substances: NJ - HS

Pennsylvania RTK Hazardous Substances: PA - RTK HS

Pennsylvania Special Hazardous Substances: PA - Special HS

California Prop. 65

To the best of our knowledge, this product does not contain any of the listed chemicals, which the state of California has found to cause cancer, birth defects or other reproductive harm.

U.S. Toxic Substances : Listed on the TSCA Inventory.
Control Act

Section 16. Other information

Hazardous Material Information System

Health	1
Flammability	1
Physical hazards	0

0=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme
*=Chronic

The customer is responsible for determining the PPE code for this material. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

National Fire Protection Association (U.S.A.)



0= Minimal 1=Slight 2=Moderate 3=Serious 4=Severe

Section 16. Other information

Our method of hazard communication is comprised of Product Labels and Safety Data Sheets. HMIS and NFPA ratings are provided as a customer service.

Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Date of issue : 02-09-2017

Date of previous issue : 02-09-2017

Version : 4

Product Safety and Regulatory Affairs

▣ Indicates information that has changed from previously issued version.

Notice to reader

This information is furnished without warranty, express or implied. This information is believed to be accurate to the best knowledge of LANXESS Corporation. The information in this SDS relates only to the specific material designated herein. LANXESS Corporation assumes no legal responsibility for use of or reliance upon the information in this SDS.