

# SAFETY DATA SHEET

## 1. Identification

### Identification

**Product name:** TEMPRITE® 677 X 670 CPVC RESIN

### Additional identification

**Chemical name:** Chlorinated polyvinyl chloride

### Recommended use and restriction on use

**Recommended use:** Thermoplastic Processing

**Restrictions on use:** None identified.

### Details of the supplier of the safety data sheet

#### Supplier

**Company Name:** THE LUBRIZOL CORPORATION  
**Address:** 29400 LAKELAND BOULEVARD  
WICKLIFFE, OH 44092-2298  
US  
**Telephone:** (440)943-1200

### Emergency telephone number:

FOR TRANSPORT EMERGENCY CALL CHEMTREC (+1)703 527 3887, OR WITHIN USA 800 424 9300

## 2. Hazard(s) identification

### Hazard Classification

Not classified

### Label Elements:

**Hazard Symbol:** No symbol

**Signal Word:** No signal word.

**Hazard Statement:** Not applicable

**Precautionary Statements:** Not applicable

**Other hazards which do not result in GHS classification:** None identified.

## 3. Composition/information on ingredients

**Composition Comments:** The components are not hazardous or are below required disclosure limits.

## 4. First-aid measures

**Ingestion:** Call a poison center or doctor if exposed or you feel unwell. Treat symptomatically. Get medical attention.

<b>Inhalation:</b>	If irritation persists or if toxic symptoms are observed, get medical attention. Remove exposed person to fresh air if adverse effects are observed.
<b>Skin Contact:</b>	If burned by contact with hot material, cool molten material adhering to skin as quickly as possible with water, and see a physician for removal of adhering material and treatment of burn. Launder contaminated clothing before reuse. Wash with soap and water. If skin irritation occurs, get medical attention.
<b>Eye contact:</b>	If hot melted material should splash into the eyes, flush eyes immediately with water for 15 minutes while holding the eyelids open. Immediately call a poison center or doctor. Continue to rinse for 30 minutes. Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses.
<b>Personal Protection for First-aid Responders:</b>	When providing first aid always protect yourself against exposure to chemicals or blood born diseases by wearing gloves, masks and eye protection. After providing first aid wash your exposed skin with soap and water.

**Most important symptoms/effects, acute and delayed**

**Symptoms:** See section 11.

**Indication of immediate medical attention and special treatment needed**

**Treatment:** Treat symptomatically.

**5. Fire-fighting measures**

<b>General Fire Hazards:</b>	Avoid hose stream or any method which will create dust clouds.
<b>Suitable (and unsuitable) extinguishing media</b>	
<b>Suitable extinguishing media:</b>	Dry chemical. Foam. Water. Use water spray, dry chemical or foam for extinction. CO2 may be ineffective on large fires.
<b>Unsuitable extinguishing media:</b>	Do not use CO2 on Class A fires, as a lack of cooling capacity may result in re-ignition.
<b>Specific hazards arising from the chemical:</b>	Run-off water from fire fighting may have corrosive effects. When heated, hazardous gases may be released including: hydrogen chloride and chlorine. See section 10 for additional information.

**Special protective equipment and precautions for fire-fighters**

**Special fire-fighting procedures:** This product has not been evaluated for dust explosion potential. Thermoplastic polymers can burn. Protect product from flames; maintain proper clearance when using heat devices, etc. Irritating or toxic substances will be emitted upon burning, combustion or decomposition. Large masses of molten polymer held at elevated temperatures for extended periods of time may auto-ignite. Dust explosion severity experiments show that a typical CPVC resin does not propagate dust explosions when subjected to a 12,000 volt AC electrical discharge at dust cloud concentrations up to 2.0 oz/ft<sup>3</sup>. This product has a high volume resistivity and a propensity to build up static electricity which may be discharged as a spark. A spark can be an ignition source for solvent vapor/air mixtures.

**Special protective equipment for fire-fighters:** Wear full protective firegear including self-containing breathing apparatus operated in the positive pressure mode with full facepiece, coat, pants, gloves and boots. See section 10 for additional information.

## 6. Accidental release measures

**Personal precautions, protective equipment and emergency procedures:** Personal Protective Equipment must be worn, see Personal Protection Section for PPE recommendations.

**Environmental Precautions:** Avoid release to the environment. Do not contaminate water sources or sewer. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so.

**Methods and material for containment and cleaning up:** Pick up free solid for recycle and/or disposal. Sweep up and place in a clearly labeled container for chemical waste. Avoid dust formation. Use wet sweeping compound or water to avoid raising a dust. Collect for salvage or disposal.

## 7. Handling and storage

**Precautions for safe handling:** Contact with heated material may cause thermal burns. Conduct any operations emitting fumes or vapors (including thermo-forming, heat joining, cutting and or sealing of articles and clean up) under well-ventilated conditions. Avoid breathing process vapors. Do not hold product for extended periods of time at elevated temperatures or allow thick masses of hot polymer to accumulate because they can decompose emitting hazardous gasses.

Recommended purging compounds are general purpose acrylic or acrylonitrile-butadiene-styrene (ABS) copolymer. Do not use flame-retarded or halogen-containing grades! Fume condensates may include hazardous contaminants from additives. Condensate may be combustible and should be periodically removed from exhaust hoods, ductwork, and other surfaces. Impervious gloves should be worn during cleanup operations to prevent skin contact.

Post thermal processing activities necessary to produce molded articles (such as cutting, sanding, sawing, grinding, drilling, or regrinding) may create dust or "fines." Powders, dust, and/or fines may pose a dust explosion hazard. Static ignition hazard can result from handling and use. Electrically bond and ground all containers and equipment before transfer or use of material. Avoid breathing dust.

Preparation may charge electrostatically; always use grounding leads when transferring from one container to another. Operators should wear antistatic footwear and clothing. Floors should be of the conducting type.

Do not taste, swallow, or chew products. Wash thoroughly after processing. Do not store or consume food in processing areas. Avoid conditions which create dust. Practice good housekeeping. Contaminated work clothing should not be allowed out of the workplace.

Observe good industrial hygiene practices. Provide adequate ventilation. Wear appropriate personal protective equipment.

**Maximum Handling Temperature:** Not determined.

**Conditions for safe storage, including any incompatibilities:** Store in dry, well ventilated place away from sources of heat and direct sunlight. Avoid excessive heat. Do not store near flammable agents. Store away from incompatible materials. See section 10 for incompatible materials.

**Maximum Storage Temperature:** Not determined.

## 8. Exposure controls/personal protection

### Control Parameters:

#### Occupational Exposure Limits

None of the components have assigned exposure limits.

**Appropriate engineering controls:** To prevent dust explosions employ bonding and grounding for operations capable of generating static electricity. Minimize dust generation and accumulation. Mechanical ventilation or local exhaust ventilation may be required.

### Individual protection measures, such as personal protective equipment

**General information:** Use personal protective equipment as required.

**Eye/face protection:** Use tight fitting goggles if dust is generated.

#### Skin Protection

**Hand Protection:** Use good industrial hygiene practices to avoid skin contact. If contact with the material may occur wear chemically protective gloves.

**Other:** Long sleeve shirt is recommended.

**Respiratory Protection:** Under normal use conditions, respirator is not usually required. Use appropriate respiratory protection if exposure to dust particles, mist or vapors is likely. Consult with an industrial hygienist to determine the appropriate respiratory protection for your specific use of this material. A respiratory protection program compliant with all applicable regulations must be followed whenever workplace conditions require the use of a respirator.

**Hygiene measures:** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

## 9. Physical and chemical properties

### Appearance

**Physical state:** solid  
**Form:** Powder  
**Color:** White to off-white  
**Odor:** Odorless  
**Odor threshold:** No data available.  
**pH:** 3 - 7 (100 %)

<b>Melting Point:</b>	No data available.
<b>Boiling Point:</b>	No data available.
<b>Flash Point:</b>	Not applicable
<b>Evaporation rate:</b>	No data available.
<b>Flammability (solid, gas):</b>	No data available.
<b>Upper/lower limit on flammability or explosive limits</b>	
<b>Flammability limit - upper (%):</b>	No data available.
<b>Flammability limit - lower (%):</b>	No data available.
<b>Explosive limit - upper:</b>	No data available.
<b>Explosive limit - lower:</b>	No data available.
<b>Vapor pressure:</b>	No data available.
<b>Vapor density:</b>	No data available.
<b>Relative density:</b>	1.55 - 1.57 68 °F (20 °C)
<b>Solubility(ies)</b>	
<b>Solubility in water:</b>	Insoluble in water
<b>Solubility (other):</b>	No data available.
<b>Partition coefficient (n-octanol/water):</b>	No data available.
<b>Auto-ignition temperature:</b>	No data available.
<b>Decomposition temperature:</b>	No data available.
<b>Viscosity:</b>	No data available.

## 10. Stability and reactivity

<b>Reactivity:</b>	No data available.
<b>Chemical Stability:</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions:</b>	Will not occur.
<b>Conditions to avoid:</b>	Excessive heat.
<b>Incompatible Materials:</b>	Avoid contact with acetal, acetal copolymers, and amine containing materials. If processed together, these materials may be mutually destructive and degrade rapidly. Prevent cross contamination of feed stocks. Alkalies. Bases.
<b>Hazardous Decomposition Products:</b>	Hydrogen chloride and chlorinated hydrocarbons may also be released. Thermal decomposition or combustion may generate smoke, carbon monoxide, carbon dioxide, hydrogen chloride, chlorinated compounds, and other products of incomplete combustion.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Inhalation:</b>	No data available.
<b>Ingestion:</b>	No data available.
<b>Skin Contact:</b>	No data available.
<b>Eye contact:</b>	No data available.

## Information on toxicological effects

### Acute toxicity

#### Oral

Product: Not classified for acute toxicity based on available data.

#### Dermal

Product: Not classified for acute toxicity based on available data.

#### Inhalation

Product: Not classified for acute toxicity based on available data. At processing or combustion temperatures this product may emit fumes and vapors that cause irritation, possibly severe, to the respiratory tract, eyes, or skin. Breathing of dust may cause coughing, mucous production, and shortness of breath.

#### Skin Corrosion/Irritation:

Product: Remarks: Not classified as a primary skin irritant. Material may aggravate an existing dermatitis.

#### Serious Eye Damage/Eye Irritation:

Product: Remarks: Not classified as a primary eye irritant. Remarks: Overexposure to thermal decomposition products produced by high processing temperatures may be irritating to the eye.

#### Respiratory sensitization:

No data available

#### Skin sensitization:

No data available

#### Specific Target Organ Toxicity - Single Exposure:

Product:

No data available

#### Aspiration Hazard:

No data available

#### Other effects:

Product: Breathing of mist or aerosol may aggravate asthma and inflammatory or fibrotic pulmonary disease.

### Chronic Effects

#### Carcinogenicity:

No data available

#### IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

#### US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

#### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

No carcinogenic components identified

**Germ Cell Mutagenicity:**

No data available

**Reproductive toxicity:**

No data available

**Specific Target Organ Toxicity - Repeated Exposure:**

No data available

**12. Ecological information****Ecotoxicity****Fish**

No data available

**Aquatic Invertebrates**

No data available

**Toxicity to Aquatic Plants**

No data available

**Toxicity to soil dwelling organisms**

No data available

**Sediment Toxicity**

No data available

**Toxicity to Terrestrial Plants**

No data available

**Toxicity to Above-Ground Organisms**

No data available

**Toxicity to microorganisms**

No data available

**Persistence and Degradability****Biodegradation**

No data available

**Bioaccumulative potential****Bioconcentration Factor (BCF)**

No data available

**Partition Coefficient n-octanol / water (log Kow)**

No data available

**Mobility:**

No data available

**Other adverse effects**

No data available

### 13. Disposal considerations

**Disposal instructions:** Treatment, storage, transportation, and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations. Since emptied containers retain product residue, follow label warnings even after container is emptied. Molten waste material should be collected in strands or flattened to 2 inches or less and quenched in cold water before disposal.

**Contaminated Packaging:** Container packaging may exhibit hazards.

### 14. Transport information

**DOT**

Not regulated.

**IMDG**

Not regulated.

**IATA**

Not regulated.

**Transport in bulk according to Annex II of MARPOL and the IBC Code**

None known.

The DOT shipping information in this section is based on a bulk container. Please review the accompanying shipping papers for the correct shipping descriptions based the size of the package. Shipping descriptions may vary based on mode of transport, quantities, temperature of the material, package size, and/or origin and destination. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material. During transportation, steps must be taken to prevent load shifting or materials falling, and all relating legal statutes should be obeyed. Review classification requirements before shipping materials at elevated temperatures.

### 15. Regulatory information

**US Federal Regulations**

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

None present or none present in regulated quantities.

**TSCA Section 5(a)2 Significant New Use Rule (SNURs) (40CFR 721, Subpt E)**

None present or none present in regulated quantities.

**CERCLA Hazardous Substance List (40 CFR 302.4)**

None present or none present in regulated quantities.

**Superfund amendments and reauthorization act of 1986 (SARA)**

**SARA 311 Classifications**

Not classified

**SARA 302 Extremely Hazardous Substance**

None present or none present in regulated quantities.

**SARA 304 Emergency Release Notification**

None present or none present in regulated quantities.



## SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

## US State Regulations

### US. California Proposition 65



This product may contain chemical(s) known to the state of California to cause cancer and/or birth defects. Additional information can be received upon request.

## Inventory Status

### Australia (AIC)

All components are in compliance with chemical notification requirements in Australia.

### Canada (DSL/NDSL)

All substances contained in this product are in compliance with the Canadian Environmental Protection Act and are present on the Domestic Substances List (DSL) or are exempt.

### China (IECSC)

All components of this product are listed on the Inventory of Existing Chemical Substances in China.

### European Union (REACH)

To obtain information on the REACH compliance status of this product, please e-mail REACH@SDSInquiries.com.

### Great Britain (UK REACH)

To obtain information on the UK REACH compliance status of this product, please e-mail REACH@SDSInquiries.com.

### Japan (ENCS)

All components are in compliance with the Chemical Substances Control Law of Japan.

### Korea (ECL)

All components are in compliance in Korea.

### New Zealand (NZIoC)

All components are in compliance with chemical notification requirements in New Zealand.

### Philippines (PICCS)

All components are in compliance with the Philippines Toxic Substances and Hazardous and Nuclear Wastes Control Act of 1990 (R.A. 6969).

### Switzerland (SWISS)

All components are in compliance with the Environmentally Hazardous Substances Ordinance in Switzerland.

### Taiwan (TCSCA)

All components of this product are listed on the Taiwan inventory.

### Turkey (KKDIK)

To obtain information on the KKDIK compliance status of this product, please e-mail REACH@SDSInquiries.com.

### United States (TSCA)

All substances contained in this product are listed on the TSCA inventory or are exempt.

The information that was used to confirm the compliance status of this product may deviate from the chemical information shown in Section 3.


**16. Other information, including date of preparation or last revision**

**HMIS Hazard ID**

<b>Health</b>	0
<b>Flammability</b>	1
<b>Physical Hazards</b>	0

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; \*Chronic health effect

**NFPA Hazard ID**



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible

**Issue Date:** 06/14/2022  
**Version #:** 5.0  
**Source of information:** Internal company data and other publically available resources.  
**Further Information:** Contact supplier (see Section 1)

**Disclaimer:** As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this product. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable federal, state, and local regulations remains the responsibility of the user.