



NATROCHEM, INC.
P.O. BOX 1205
SAVANNAH, GA 31402
(912) 236-4464 FAX: (912) 236-1919
www.natrochem.com

DATA SHEET TRILENE 65 DLC[®]-A

Trilene 65 DLC-A is a free-flowing powder made by combining Trilene liquid polymer and silicon dioxide. The blend is nominally 68% EPDM polymer and 32% silica. It is available as a dry, free-flowing powder that is easy to measure, store and transfer. DLC incorporates quickly and thoroughly into various elastomer systems, and gives quality and processing advantages when compared to neat polymer. Trilene 65 DLC-A is effective in EPDM, BR, NR, SBR and other elastomers.

TEST	TEST METHOD	SPECIFICATION
Actives Content, %	QCL-8.2.4-2-1	66 - 70
Carrier Content, %	QCL-8.2.4-2-1	30 - 34
Appearance	Visual	White to light tan powder

TYPICAL PROPERTIES

Actives Content, %	68
Carrier Content, %	32
Specific Gravity (Apparent)	1.00
Packaging	50# Net, Multi-wall Bags
Color	White

Date of Revision: 8/28/09

The information in this data sheet is derived from the best available sources and is believed to be accurate. However, no guarantee is expressed or implied regarding the accuracy of these data or the use of this product, nor are any statements in this bulletin intended as recommendations to use our products in the infringement of any patents.

OTHER NATROCHEM PRODUCTS

**DLC[®] - Galex[®] - Rosin Oils - Rosin Pitches - Tarene[™]
Natro-Flex[™] - Tar-Cel[®] - Natro-Cel[®]**